

## Freeform Search

<b>Database:</b>	<div style="border: 1px solid black; padding: 5px;">         US Pre-Grant Publication Full-Text Database          US Patents Full-Text Database          US OCR Full-Text Database          EPO Abstracts Database          JPO Abstracts Database          Derwent World Patents Index          IBM Technical Disclosure Bulletins       </div>
<b>Term:</b>	<div style="border: 1px solid black; padding: 5px;">         (api or application near interface) and L202       </div>
<b>Display:</b>	<div style="border: 1px solid black; padding: 2px;">10</div> Documents in <b>Display Format:</b> <div style="border: 1px solid black; padding: 2px;">-</div> Starting with Number <div style="border: 1px solid black; padding: 2px;">1</div>
<b>Generate:</b> <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

### Search History

DATE: Wednesday, November 22, 2006
 [Purge Queries](#)
[Printable Copy](#)
[Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
	L203 (api or application near interface) and L202	38	L203
	L202 @pd<20010808 and L201	66	L202
	L201 114 and L200	536	L201
	L200 726/11.ccls. or 1183	50176	L200
	L199 L196 and L198	5	L199
	L198 L183 and L197	515	L198
	L197 (determin\$3 near (url or (uniform or universal) near resource near locator))	1511	L197
	L196 (url or (uniform or universal) near resource near locator) near (printing or (printer near (service or server)))	146	L196
	L195 (determin\$3 near (url or (uniform or universal) near resource near locator)) with (printing or (printer near (service or server)))	15	L195
	L194 @pd<20010808 and L193	2	L194
	L193 L183 and L192	78	L193
	L192 (determin\$3 near (configur\$4 or url or (uniform or universal) near resource near locator)) with (printing or (printer near (service or server)))	230	L192

*DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR*

<u>L191</u> LIVINGSTON-KRIS-R!	116 <u>L191</u>
<u>L190</u> FOSTER-WARD-S!	93 <u>L190</u>
<u>L189</u> SIMPSON-SHELL-S!	158 <u>L189</u>

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<u>L188</u> 20030115247	2 <u>L188</u>
<u>L187</u> L177 and L183	12 <u>L187</u>
<u>L186</u> L178 and L185	8 <u>L186</u>
<u>L185</u> @pd<20010808 and L184	312 <u>L185</u>
<u>L184</u> L183 and L48	2472 <u>L184</u>
<u>L183</u> L181 or L153 or L182	49887 <u>L183</u>
<u>L182</u> (709/201  709/202  709/203  709/204  709/205  709/206  709/207  709/217  709/218  709/219).cccls.	22086 <u>L182</u>
<u>L181</u> (358/1.1  358/1.2  358/1.3  358/1.4  358/1.5  358/1.6  358/1.7  358/1.8  358/1.9  358/2.1  358/2.99  358/3.01  358/3.02  358/3.03  358/3.04  358/3.05  358/3.06  358/3.07  358/3.08  358/3.09  358/3.1  358/3.11  358/3.12  358/3.13  358/3.14  358/3.15  358/3.16  358/3.17  358/3.18  358/3.19  358/3.2  358/3.21  358/3.22  358/3.23  358/3.24  358/3.26  358/3.27  358/3.28  358/3.29  358/3.3  358/3.31  358/3.32  358/1.11  358/1.12  358/1.13  358/1.14  358/1.15  358/1.16  358/1.17  358/1.18).cccls.	23816 <u>L181</u>
<u>L180</u> url and L179	1 <u>L180</u>
<u>L179</u> @pd<20010808 and L178	50 <u>L179</u>
<u>L178</u> ((select\$3 or choos\$3) with default near printer)	588 <u>L178</u>
<u>L177</u> availabl\$4 near local near printer	15 <u>L177</u>
<u>L176</u> ((select\$3 or choos\$3) near (url or destination)) with local near printer	3 <u>L176</u>
<u>L175</u> (api or application near interface) and L62	49 <u>L175</u>
<u>L174</u> L172 and L171	33 <u>L174</u>
<u>L173</u> L170 and L172	192 <u>L173</u>
<u>L172</u> web near content with (button or click\$3)	412 <u>L172</u>
<u>L171</u> L169 and L170	2774 <u>L171</u>
<u>L170</u> user near (information or profile)	144570 <u>L170</u>
<u>L169</u> (print\$3 near (server or web))	22432 <u>L169</u>

*DB=USPT; PLUR=YES; OP=OR*

<u>L168</u> '5083262'.pn.	1 <u>L168</u>
<u>L167</u> '5276879'.pn.	1 <u>L167</u>
<u>L166</u> '5341293'.pn.	1 <u>L166</u>
<u>L165</u> '5689642'.pn.	1 <u>L165</u>
<u>L164</u> '5845076'.pn.	1 <u>L164</u>
<u>L163</u> '5861883'.pn.	1 <u>L163</u>
<u>L162</u> '5894554'.pn.	1 <u>L162</u>
<u>L161</u> '5901286'.pn.	1 <u>L161</u>
<u>L160</u> '5935207'.pn.	1 <u>L160</u>
<u>L159</u> '5946458'.pn.	1 <u>L159</u>

<u>L158</u> '5974441'.pn.	1	<u>L158</u>
<u>L157</u> '6006281'.pn.	1	<u>L157</u>
<u>L156</u> '6020973'.pn.	1	<u>L156</u>
<u>L155</u> '6020973'.pn.	1	<u>L155</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L154</u> 6623527.pn.	2	<u>L154</u>
<u>L153</u> L147 or L151 or L152	5089	<u>L153</u>
<u>L152</u> (719/311  719/328).cccls.	1390	<u>L152</u>
<u>L151</u> (715/501  715/513).cccls.	2961	<u>L151</u>
<u>L150</u> (709/201  709/202  709/203  709/204  709/205  709/206  709/207  709/217  709/218  709/219).cccls.	22086	<u>L150</u>
<u>L149</u> web and L148	135	<u>L149</u>
<u>L148</u> printing and L147	185	<u>L148</u>
<u>L147</u> ((pointer or url or reference or universal near locator) near (user near (information or profile)))	775	<u>L147</u>
<u>L146</u> redirector near (url or pointer or reference or universal near locator or page)	28	<u>L146</u>
<u>L145</u> 20030115247	2	<u>L145</u>
<u>L144</u> load\$3 near redirector	7	<u>L144</u>
<u>L143</u> download\$3 near redirector	0	<u>L143</u>
<u>L142</u> L141 and L126	95	<u>L142</u>
<u>L141</u> web and printing and L140	148	<u>L141</u>
<u>L140</u> (application near interface or api) with (universal near locator or url)	677	<u>L140</u>
<u>L139</u> (application near interface or api) with (destination near (reference or url))	0	<u>L139</u>
<u>L138</u> L136 and L137	24	<u>L138</u>
<u>L137</u> (local or remote) near printing	1861	<u>L137</u>
<u>L136</u> L134 and L135	234	<u>L136</u>
<u>L135</u> print\$3 near (service or server or network)	23918	<u>L135</u>
<u>L134</u> printing and L132	502	<u>L134</u>
<u>L133</u> redirector and L132	1	<u>L133</u>
<u>L132</u> L126 and L131	735	<u>L132</u>
<u>L131</u> (application near interface or api) with web near (page or content)	1208	<u>L131</u>
<u>L130</u> printing and L129	88	<u>L130</u>
<u>L129</u> web and L128	352	<u>L129</u>
<u>L128</u> (application near interface or api) with (user near (information or profile))	506	<u>L128</u>
<u>L127</u> L125 and L126	59	<u>L127</u>
<u>L126</u> (user near (information or profile))	144570	<u>L126</u>
<u>L125</u> web and redirector and printing	94	<u>L125</u>
<u>L124</u> web and L123	59	<u>L124</u>
<u>L123</u> printing and L122	95	<u>L123</u>
<u>L122</u> ((user near (information or profile)) near (firewall or security))	621	<u>L122</u>
<u>L121</u> (web or browser) and L120	168	<u>L121</u>
<u>L120</u> L117 and L119	205	<u>L120</u>

<u>L119</u> (api or application near interface)	119075	<u>L119</u>
<u>L118</u> L111 and L117	0	<u>L118</u>
<u>L117</u> L115 and L116	755	<u>L117</u>
<u>L116</u> user near (information or profile or preference)	163164	<u>L116</u>
<u>L115</u> remote near print\$3	4183	<u>L115</u>
<u>L114</u> (web or browser) and L113	75	<u>L114</u>
<u>L113</u> user near (information or profile) with select\$3 near print\$3	164	<u>L113</u>
<u>L112</u> L104 and L111	29	<u>L112</u>
<u>L111</u> download\$3 near (api or application near interface)	130	<u>L111</u>
<u>L110</u> firewall and L109	122	<u>L110</u>
<u>L109</u> L105 and L108	358	<u>L109</u>
<u>L108</u> api or application adj programming adj interface	108782	<u>L108</u>
<u>L107</u> L105 and L106	401	<u>L107</u>
<u>L106</u> api or application near interface	119075	<u>L106</u>
<u>L105</u> L102 and L104	1909	<u>L105</u>
<u>L104</u> user near (information or profile)	144570	<u>L104</u>
<u>L103</u> redirector and L102	16	<u>L103</u>
<u>L102</u> print\$3 near request	10023	<u>L102</u>
<u>L101</u> print\$3 near request	10023	<u>L101</u>
<u>L100</u> redirector and L99	30	<u>L100</u>
<u>L99</u> print\$3 near network	11911	<u>L99</u>
<u>L98</u> print\$3 and L97	30	<u>L98</u>
<u>L97</u> browser with redirector	68	<u>L97</u>
<u>L96</u> printing and L95	42	<u>L96</u>
<u>L95</u> redirector with (api or application near interface)	111	<u>L95</u>
<u>L94</u> printer adj driver and destination near (url or reference)	47	<u>L94</u>
<u>L93</u> printer adj driver and redirector	6	<u>L93</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>		
<u>L92</u> '5634006'.pn.	1	<u>L92</u>
<u>L91</u> '5634127'.pn.	1	<u>L91</u>
<u>L90</u> '5636371'.pn.	1	<u>L90</u>
<u>L89</u> '5754830'.pn.	1	<u>L89</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L88</u> printing and L87	25	<u>L88</u>
<u>L87</u> redirect\$3 near client with url	151	<u>L87</u>
<u>L86</u> @pd<20010808 and L85	30	<u>L86</u>
<u>L85</u> redirector and printing	146	<u>L85</u>
<u>L84</u> redirector and destination near (url or reference)	46	<u>L84</u>
<u>L83</u> redirector and L82	7	<u>L83</u>
<u>L82</u> print\$3 near (option or button or gui or ui or selection)	13451	<u>L82</u>
<u>L81</u> L77 and L79	33	<u>L81</u>

<u>L80</u>	L77 nd L79	970385	<u>L80</u>
<u>L79</u>	print\$3 near (option or button or gui or ui)	9591	<u>L79</u>
<u>L78</u>	print\$3 and L77	423	<u>L78</u>
<u>L77</u>	redirect\$3 near (web or page)	1012	<u>L77</u>
<u>L76</u>	print\$3 and L75	13	<u>L76</u>
<u>L75</u>	((select\$3 or choos\$3) near destination near (url or reference))	75	<u>L75</u>
<u>L74</u>	20030115247	2	<u>L74</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L73</u>	'5602974'.pn.	1	<u>L73</u>
<u>L72</u>	'5638497'.pn.	1	<u>L72</u>
<u>L71</u>	'5638497'.pn.	1	<u>L71</u>
<u>L70</u>	'5699495'.pn.	1	<u>L70</u>
<u>L69</u>	'5699495'.pn.	1	<u>L69</u>
<u>L68</u>	'5825991'.pn.	1	<u>L68</u>
<u>L67</u>	'5832301'.pn.	1	<u>L67</u>
<u>L66</u>	'5901362'.pn.	1	<u>L66</u>
<u>L65</u>	'5974234'.pn.	1	<u>L65</u>
<u>L64</u>	'5974234'.pn.	1	<u>L64</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L63</u>	(api or application near interface) and L62	49	<u>L63</u>
<u>L62</u>	client with print near driver	265	<u>L62</u>
<u>L61</u>	6032162.pn.	2	<u>L61</u>
<u>L60</u>	60321620.pn.	0	<u>L60</u>
<u>L59</u>	6009410.pn.	2	<u>L59</u>
<u>L58</u>	20020036793	2	<u>L58</u>
<u>L57</u>	20020161830	2	<u>L57</u>
<u>L56</u>	6529943.pn.	2	<u>L56</u>
<u>L55</u>	printing and L54	5	<u>L55</u>
<u>L54</u>	((url or destination)) near (api or application near interface)	67	<u>L54</u>
<u>L53</u>	((url or destination)) with (api or application near interface)	1369	<u>L53</u>
<u>L52</u>	((select\$3 or choos\$3) near (url or destination)) with (api or application near interface)	2	<u>L52</u>
<u>L51</u>	((select\$3 or choos\$3) near (url or destination)) and L50	64	<u>L51</u>
<u>L50</u>	(api or application near interface) and L49	610	<u>L50</u>
<u>L49</u>	browser and L48	1736	<u>L49</u>
<u>L48</u>	print\$3 near server	9624	<u>L48</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L47</u>	'5793966'.pn.	1	<u>L47</u>
<u>L46</u>	'5796393'.pn.	1	<u>L46</u>
<u>L45</u>	'5826242'.pn.	1	<u>L45</u>
<u>L44</u>	'5867636'.pn.	1	<u>L44</u>
<u>L43</u>	'5867636'.pn.	1	<u>L43</u>

<u>L42</u>	'5898835'.pn.	1	<u>L42</u>
<u>L41</u>	'5901286'.pn.	1	<u>L41</u>
<u>L40</u>	'5905908'.pn.	1	<u>L40</u>
<u>L39</u>	'5974234'.pn.	1	<u>L39</u>
<u>L38</u>	'5974234'.pn.	1	<u>L38</u>
<u>L37</u>	'5987480'.pn.	1	<u>L37</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L36</u>	browser and L35	27	<u>L36</u>
<u>L35</u>	@pd<20010808 and L30	449	<u>L35</u>
<u>L34</u>	printing and L32	12	<u>L34</u>
<u>L33</u>	L26 and L32	1	<u>L33</u>
<u>L32</u>	(criteria or rule or condition) near ((select\$3 or choos\$3) near (url or destination))	61	<u>L32</u>
<u>L31</u>	browser and L30	550	<u>L31</u>
<u>L30</u>	(print\$3 with (api or application near interface))	1709	<u>L30</u>
<u>L29</u>	((print\$3 near (url or destination)) with (api or application near interface))	23	<u>L29</u>
<u>L28</u>	redirector and L27	1	<u>L28</u>
<u>L27</u>	postscript and pdf and L26	589	<u>L27</u>
<u>L26</u>	print\$3 near document	26568	<u>L26</u>
<u>L25</u>	20030115247	2	<u>L25</u>
<u>L24</u>	@pd<20010808 and (L22 or L23)	27	<u>L24</u>
<u>L23</u>	redirect\$3 near (client or browser or ((user near (application or program))) and (printing or (printer near (service or server))))).ab,ti.	199	<u>L23</u>
<u>L22</u>	(api or application near interface or dll) with (determin\$3 near (url or uniform near resource near locator or configur\$4))	33	<u>L22</u>
<u>L21</u>	@pd<20010808 and L20	2	<u>L21</u>
<u>L20</u>	redirect\$3 near (client or browser or (user near (application or program))) with (api or application near interface or dll)	29	<u>L20</u>
<u>L19</u>	redirect\$3 near (client or browser or (user near (application or program))) with (printing or (printer near (service or server)))	26	<u>L19</u>
<u>L18</u>	@pd<20010808 and L17	4	<u>L18</u>
<u>L17</u>	L14 and L16	228	<u>L17</u>
<u>L16</u>	(printing or (printer near (service or server)))	986541	<u>L16</u>
<u>L15</u>	(printing or (printer near service or server))	1408160	<u>L15</u>
<u>L14</u>	redirect\$3 near (client or browser or (user near (application or program)))	1729	<u>L14</u>
<u>L13</u>	L11 and L12	2	<u>L13</u>
<u>L12</u>	determin\$3 near (url or uniform near resource near locator or configur\$4)	26844	<u>L12</u>
<u>L11</u>	@pd<20010808 and ((download\$3 or load\$3) near (redirector or plug\$1in))	86	<u>L11</u>
<u>L10</u>	@pd<20010808 and L9	31	<u>L10</u>
<u>L9</u>	(web adj page or redirector) with (determin\$3 near (url or uniform near resource near locator or configur\$4))	183	<u>L9</u>
<u>L8</u>	@pd<20010808 and L7	1	<u>L8</u>

<u>L7</u>	web adj page and L6	23	<u>L7</u>
<u>L6</u>	redirector near configur\$4	73	<u>L6</u>
<u>L5</u>	@pd<20010808 and L4	2	<u>L5</u>
<u>L4</u>	redirector with web adj page	32	<u>L4</u>
<u>L3</u>	redirector near web adj page	2	<u>L3</u>
<u>L2</u>	(download\$3 or load\$3) with print near web adj page	10	<u>L2</u>
<u>L1</u>	((download\$3 or load\$3) with ((redirector or plug\$1in) near (api or application near interface)))	10	<u>L1</u>

END OF SEARCH HISTORY